

**PRICE BID FOR ORTHOPAEDIC DEPARTMENT EQUIPMENTS**

EarnestMoneyRs...../-enclosed  
NSC/FDR/CDRNo.

Security money 10% of the cost  
Of the article.

**Department-ORTHOPAEDIC**

Sl.No.	Name of the article& Technical Specification	Cost of the article per unit
--------	--	------------------------------

**SMALL FRAGMENT INSTRUMENT SET- (2 sets)****Each set Consisting of**

➤	Drill bit 2.0 mm	3
➤	Drill bit 2.5mm	3
➤	Drill bit 3.5mm	3
➤	Counter Sink with T handle for 3.5, 4.0mm Screws	2
➤	3.5mm Cortical Screw Tap	2
➤	4.0mm Cancellous Screw Tap	2
➤	Quick Coupling Handle (T-Type)	2
➤	Drill and Tap Sleeve Combined 3.5/2.5mm	2
➤	Insert drill sleeve 2.5 mm	2 each
➤	Insert drill sleeve 3.5 mm	2
➤	Screw Driver shaft, QC end 2.5mm tip	2
➤	Small Hexagonal Screw Driver with self holding sleeve 2.5mm Tip	2
➤	Depth Gauge Small	2
➤	Sharp Hook	2
➤	Spanner	2
➤	Small plate bender for 2.7 and 3.5mm plates	2
➤	Self centering bone holding forceps -190mm	2
➤	Hohman Retractor small 8.0mm wide-160mm	2
➤	Periosteal Elevator 15mm X 160mm	2
➤	Hohman Retractor 15mmX160mm	2
➤	Reduction forceps – Serrated – 140mm	2

*[Handwritten signature]*

*[Handwritten signature]*

➤ Reduction forceps-pointed - 140mm	2
➤ Neutral and loaded Drill Guide (Small)	2
➤ Drill bit H.S.S. plain shank 2.5 mm * 115 mm long	2
➤ Drill bit H.S.S. plain shank 3.2 mm * 130 mm long	2
➤ Bone tap QC end A.O. type cancellous 3.5 mm * 110 mm long	2
➤ Small depth gauge	2
➤ Screw driver 2.5 mm tip A.O. type	2
➤ Small neutral and loaded drill guide	2
➤ Universal guide 3.5 mm for minimal contact D.C. plate	2
➤ Instrument box with two trays length 300 mm	2
➤ Templates	
• 87 mm	1
• 114 mm	1

**Manufacturing company should be ISO 13485 , European CE/US FDA CERTIFIED**

*[Handwritten signature]*

*[Handwritten signature]*

## LARGE FRAGMENT INSTRUMENT SET - (2 sets)

### Each set Consisting of

➤ Drill bit (Quick Coupling) 3.2mmX130mm	2
➤ Drill bit (Quick Coupling) 4.5mmX130mm	2
➤ Counter Sink for 4.5mm and 6.5mm Screws (8.0mm Head)	2
➤ Quick Coupling Handle (T-Type)	2
➤ Bone Tap with Quick Coupling for 4.5mm Cortical Screws	2
➤ Bone Tap with Quick Coupling for 6.5mm Cancellous Screws	2
➤ Insert Drill sleeve 4.5/3.2mm	2
➤ Drill and Tap sleeve combined 3.2/4.5mm	2
➤ Drill and Tap sleeve combined 3.2/6.5mm	2
➤ Screw driver shaft QC end 3.5mm tip	2
➤ Large Hexagonal Screw Driver 3.5mm tip	2
➤ Depth Gauge 4.5mm and 6.5mm Screws	2
➤ Sharp Hook	2
➤ Large neutral and loaded drill guide	2
➤ Pointed drill guide	2
➤ Large plate bender	2
➤ Drill bit H.S.S. plain shank 4.5 mm * 130 mm long	
➤ Large neutral and loaded drill guide	2
➤ Bone taps Q.C. End A.O. type cortical 4.5 mm	2
➤ Bone taps Q.C. End 6.5 mm cancellous	2
➤ Large depth gauge	2
➤ Screw driver 3.5 mm tip A.O. type	2
➤ Hohman Retractor small 8.0mm wide-160mm	2
➤ Periosteal Elevator 15mm X 160mm	2
➤ Hohman Retractor 15mmX160mm	2
➤ Reduction forceps - Serrated - 140mm	2
➤ Reduction forceps-pointed - 140mm	2
➤ Instrument box with two trays length 300 mm	2

**Manufacturing company should be ISO 13485 , European CE/US FDA Certified**




1-SHOUTABLEUPS/CVT  
2-Warranty/CMCDATEDONINTALLATION5YEARS.

---

Signature of Tenderer  
Signature of Witness:  
Name:  
Full Address:

Name of the Tenderer:  
Address of Firm  
With stamp